

# factory certificate



product: fork terminals  
with heat shrinking tube insulation

insulation: polyolefine with inner liner

art-number: K 404040 HS – K 406050 HS

shrinking temp.: 125°C


dielectric strength.: 20 kV / mm

material: galv. Sn, Cu-ETP  
(Cu-ETP acc. to EN 13600)

information: RoHS-conform (EU-Direktive 2002/95/EC)  
The colour of the insulation sleeve  
matches the colour of the diameter range

Eisenacher  
quality management





**fork terminals**

mm <sup>2</sup>	colour	AWG	nominal size	art-number	dimensions						~kg 1000 St.	VE
					d1	d3	d4	l1	a1	s		
0,5 – 1,5	red	17	4 – 1,5	K 404040 HS	4,3	7,0	4,6	12,0	5,0	0,7	0,700	1.000
			5 – 1,5	K 404050 HS	5,3	9,6	4,6	13,0	5,0	0,7	0,950	1.000
1,5 – 2,5	blue	13	4 – 2,5	K 405040 HS	4,3	7,0	5,4	12,0	5,0	0,7	0,900	1.000
			5 – 2,5	K 405050 HS	5,3	9,6	5,4	13,0	5,0	0,7	1,100	1.000
2,5 – 6	yellow	10	4 – 6	K 406040 HS	4,3	8,5	6,5	14,0	6,0	0,7	1,700	500
			5 – 6	K 406050 HS	5,3	9,0	6,5	14,0	6,0	0,7	1,850	50

